

Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze

COMPANY

JINAN MEIDE CASTING CO LTD

Meide Science And Technology Park
Pingyin Industrial Park
Jinan, Shandong 250400 China

EX6624

Trademark and/or Tradename: "K" , "MECH" , "PLUMNECT" ,



Note: For additional marking information, refer to the [Guide Information Page](#).

View model for additional information

ASME B16.14, "Ferrous Pipe Plugs, Bushings, and Locknuts with Pipe Threads"

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [291-4](#), [291N](#), [PG-4](#), [PGN](#)

ASME B16.14, "Ferrous Pipe Plugs, Bushings, and Locknuts with Pipe Threads" with ISO 7-1 threads

Ductile Iron Fittings, Model(s): [241N](#), [291](#)

Malleable Iron Fittings, Model(s): [241N](#)

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300" with ASME B1.20.1 or ISO 7-1 threads

Model(s): [RT+](#)

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300" with ASME B1.20.1 threads

Model(s): [130R*](#)

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300"

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [120](#), [121](#), [134](#), [165](#), [92](#), [E4#](#), [RE1](#), [SE1](#), [T4](#), [TY](#)

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300" with ASME B1.20.1 or ISO 7-1 threads

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [220](#), [241](#), [300](#), [CP](#), [F4](#), [HB](#), [RT](#), [SC](#)

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [130R+](#) , where + means the model 130R in the 2-1/2 x 2-1/2 x 3 inch size is only threaded in accordance with ASME B1.20.1

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300" with ASME B1.20.1 threads

Ductile Iron Fittings, Model(s): [180](#), [240](#), [90SD](#), [92](#)

Ductile Iron Fittings and Malleable Iron Fittings, Model(s): [130R](#)

Malleable Iron Fittings, Model(s): [134](#), [165](#)

ASME B16.4, "Gray Iron Threaded Fittings, Classes 125 and 250"

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [130](#), [130R](#), [180](#), [180R](#), [240](#), [240N](#), [291](#), [291S](#), [90](#), [90R](#), [C](#), [E1](#), [E4](#), [ER](#), [PG](#), [RC](#), [RC1](#), [RX](#), [SP1](#), [I](#)

AWWA C153/A21.53, "Ductile-Iron Compact Fittings for Water Service"Model(s): [90MJ](#)**AWWA C153/A21.53, "Ductile-Iron Compact Fittings for Water Service"****Ductile Iron Fittings**, Model(s): [120MJ](#), [120MJXFE](#), [130MJ](#), [130RMJ](#), [220MJ](#), [220MJXFE](#), [240MJ](#), [300MMJ](#), [90MJ](#), [90MJXFE](#)**EN 10242, "Threaded Pipe Fittings in Malleable Cast Iron" with ISO 7-1 threads**Model(s): [92R](#), [ER](#), [T23](#)**EN 10242, "Threaded Pipe Fittings in Malleable Cast Iron" with ISO 7-1 threads****Ductile Iron Fittings**, Model(s): [280](#)**Malleable Iron Fittings**, Model(s): [1#](#), [1090](#), [120](#), [121](#), [1221](#), [1223](#), [130](#), [130D](#), [130R](#), [130RD](#), [131](#), [132](#), [180](#), [180R](#), [1A](#), [2#](#), [220](#), [240](#), [241](#), [241D](#), [241T](#), [245](#), [246](#), [271](#), [272](#), [280](#), [280D](#), [281](#), [290](#), [290L](#), [290T](#), [291](#), [291LM](#), [291S](#), [2A](#), [2AF](#), [3#](#), [300](#), [300D](#), [310](#), [312](#), [40](#), [41](#), [529A](#), [90](#), [90D](#), [90R](#), [92](#), [92R](#)**EN 1092-2, "Flanges and their joints – Circular flanges for pipes, valves, fittings and accessories, PN designated. Part 2. Cast Iron Flanges"****Malleable Iron Fittings**, Model(s): [321-4](#)**ISO 49, "Malleable Cast Iron Fittings Threaded to ISO 7-1"****Malleable Iron Fittings**, Model(s): [1#](#), [1130](#), [120](#), [121](#), [1220](#), [1221](#), [1223](#), [130](#), [130R](#), [131](#), [134](#), [134R](#), [165](#), [180](#), [180R](#), [1A](#), [2#](#), [220](#), [240](#), [241](#), [241D](#), [245](#), [246](#), [270](#), [271](#), [280](#), [291](#), [291N](#), [291S](#), [2A](#), [3#](#), [300](#), [310](#), [312](#), [321-4](#), [321-6](#), [321H](#), [321N](#), [321P](#), [321PW](#), [321TD](#), [321W](#), [40](#), [41](#), [526](#), [529A](#), [529X](#), [85](#), [90](#), [90R](#), [92](#), [92R](#), [95](#), [96](#), [97](#), [98](#), [C](#), [C85](#), [CP](#), [E1](#), [E1#](#), [E1A](#), [E2#](#), [E21](#), [E2A](#), [E3#](#), [E4](#), [E4#](#), [E40](#), [E41](#), [E90](#), [ER](#), [GF164](#), [GF25](#), [GF6](#), [GFN](#), [GFP](#), [GFPW](#), [GFTD](#), [GFW](#), [HB](#), [HBD](#), [HN](#), [L10](#), [L12](#), [PG](#), [PGN](#), [RC](#), [RC20](#), [RC26](#), [RC5](#), [RC6](#), [RC70](#), [RC71](#), [RC9A](#), [RC9X](#), [RT](#), [RX](#), [SC](#), [SE1](#), [SE1R](#), [SP1](#), [T](#), [T1](#), [T23](#), [T30](#), [T4](#), [T4R](#), [TY](#), [U5](#), [U6](#), [U7](#), [U8](#)[Last Updated](#) on 2025-07-25

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."

Fittings, Cast Iron, Ductile Iron, Malleable Iron and Bronze Certified for Canada

COMPANY

JINAN MEIDE CASTING CO LTD

Meide Science And Technology Park
Pingyin Industrial Park
Jinan, Shandong 250400 China

EX6624

Trademark and/or Tradename: "K" , "MECH" , "PLUMNECT" ,



Note: For additional marking information, refer to the [Guide Information Page](#).

View model for additional information

ASME B16.14, "Ferrous Pipe Plugs, Bushings, and Locknuts with Pipe Threads"

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [291-4](#), [291N](#), [PG-4](#), [PGN](#)

ASME B16.14, "Ferrous Pipe Plugs, Bushings, and Locknuts with Pipe Threads" with ISO 7-1 threads

Ductile Iron Fittings, Model(s): [241N](#), [291](#)

Malleable Iron Fittings, Model(s): [241N](#)

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300" with ASME B1.20.1 or ISO 7-1 threads

Model(s): [RT+](#)

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300" with ASME B1.20.1 threads

Model(s): [130R*](#)

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300"

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [120](#), [121](#), [134](#), [165](#), [92](#), [E4#](#), [RE1](#), [SE1](#), [T4](#), [TY](#)

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300" with ASME B1.20.1 or ISO 7-1 threads

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [220](#), [241](#), [300](#), [CP](#), [F4](#), [HB](#), [RT](#), [SC](#)

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [130R+](#) , where + means the model 130R in the 2-1/2 x 2-1/2 x 3 inch size is only threaded in accordance with ASME B1.20.1

ASME B16.3, "Malleable Iron Threaded Fittings, Classes 150 and 300" with ASME B1.20.1 threads

Ductile Iron Fittings, Model(s): [180](#), [240](#), [90SD](#), [92](#)

Ductile Iron Fittings and Malleable Iron Fittings, Model(s): [130R](#)

Malleable Iron Fittings, Model(s): [134](#), [165](#)

ASME B16.4, "Gray Iron Threaded Fittings, Classes 125 and 250"

Ductile-iron, cast-iron, and malleable iron threaded fittings, Model(s): [130](#), [130R](#), [180](#), [180R](#), [240](#), [240N](#), [291](#), [291S](#), [90](#), [90R](#), [C](#), [E1](#), [E4](#), [ER](#), [PG](#), [RC](#), [RC1](#), [RX](#), [SP1](#), [I](#)

AWWA C153/A21.53, "Ductile-Iron Compact Fittings for Water Service"

Model(s): [90MJ](#)

AWWA C153/A21.53, "Ductile-Iron Compact Fittings for Water Service"

Ductile Iron Fittings, Model(s): [120MJ](#), [120MJXFE](#), [130MJ](#), [130RMJ](#), [220MJ](#), [220MJXFE](#), [240MJ](#), [300MMJ](#), [90MJ](#), [90MJXFE](#)

EN 10242, "Threaded Pipe Fittings in Malleable Cast Iron" with ISO 7-1 threads

Model(s): [92R](#), [ER](#), [T23](#)

EN 10242, "Threaded Pipe Fittings in Malleable Cast Iron" with ISO 7-1 threads

Ductile Iron Fittings, Model(s): [28Q](#)

Malleable Iron Fittings, Model(s): [1#](#), [1090](#), [120](#), [121](#), [1221](#), [1223](#), [130](#), [130D](#), [130R](#), [130RD](#), [131](#), [132](#), [180](#), [180R](#), [1A](#), [2#](#), [220](#), [240](#), [241](#), [241D](#), [241T](#), [245](#), [246](#), [271](#), [272](#), [280](#), [280D](#), [281](#), [290](#), [290L](#), [290T](#), [291](#), [291LM](#), [291S](#), [2A](#), [2AF](#), [3#](#), [300](#), [300D](#), [310](#), [312](#), [40](#), [41](#), [529A](#), [90](#), [90D](#), [90R](#), [92](#), [92R](#)

EN 1092-2, "Flanges and their joints – Circular flanges for pipes, valves, fittings and accessories, PN designated. Part 2. Cast Iron Flanges"

Malleable Iron Fittings, Model(s): [321-4](#)

ISO 49, "Malleable Cast Iron Fittings Threaded to ISO 7-1"

Malleable Iron Fittings, Model(s): [1#](#), [1130](#), [120](#), [121](#), [1220](#), [1221](#), [1223](#), [130](#), [130R](#), [131](#), [134](#), [134R](#), [165](#), [180](#), [180R](#), [1A](#), [2#](#), [220](#), [240](#), [241](#), [241D](#), [245](#), [246](#), [270](#), [271](#), [280](#), [291](#), [291N](#), [291S](#), [2A](#), [3#](#), [300](#), [310](#), [312](#), [321-4](#), [321-6](#), [321H](#), [321N](#), [321P](#), [321PW](#), [321TD](#), [321W](#), [40](#), [41](#), [526](#), [529A](#), [529X](#), [85](#), [90](#), [90R](#), [92](#), [92R](#), [95](#), [96](#), [97](#), [98](#), [C](#), [C85](#), [CP](#), [E1](#), [E1#](#), [E1A](#), [E2#](#), [E21](#), [E2A](#), [E3#](#), [E4](#), [E4#](#), [E40](#), [E41](#), [E90](#), [ER](#), [GF164](#), [GF25](#), [GF6](#), [GFN](#), [GFP](#), [GFPW](#), [GFTD](#), [GFW](#), [HB](#), [HBD](#), [HN](#), [L10](#), [L12](#), [PG](#), [PGN](#), [RC](#), [RC20](#), [RC26](#), [RC5](#), [RC6](#), [RC70](#), [RC71](#), [RC9A](#), [RC9X](#), [RT](#), [RX](#), [SC](#), [SE1](#), [SE1R](#), [SP1](#), [I](#), [T1](#), [T23](#), [T30](#), [T4](#), [T4R](#), [TY](#), [U5](#), [U6](#), [U7](#), [U8](#)

Last Updated on 2025-07-25

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."