

# FM/UL Certificates



# Certificate of Compliance

This certificate is issued for the following:

## Fire Service Water Control Valves (OS&Y and NRS Type Gate Valves)

Models: KM101-1.6, KM102-1.6, KM101-2.5, KM102-2.5, KM103-175, KM104-175, KM103-300, KM104-300, KM105, KM106-1.6, KM107-1.6, KM106-2.5, KM107-2.5, KM108-175, KM108-300, KM109, KM110, KM111, KM112, KM113, **KM800**, KM850

### Prepared for:

Kirmary International LLC  
91 Linden Ave  
Irvington Township, New Jersey 07111  
USA

Approval Standard: FM 1120, 1130 (April 1997)

Approval Identification: PR467295

Approval Granted: 23 October 2023

To verify the availability of the Approved product, please refer to [www.approvalguide.com](http://www.approvalguide.com)

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in black ink, appearing to read 'D.B. Fuller', is written over a horizontal line.

David B. Fuller  
VP, Manager – Fire Protection  
FM Approvals  
1151 Boston-Providence Turnpike  
Norwood, MA 02062



*Member of the FM Global Group*



Model KM800

File Number: EX29165

COMPANY

Kirmary International LLC

91 Linden Ave  
Irvington Township, NJ 07111 United States

MODEL INFO

KM800

GENERAL			
Pattern	Size, in.	End Configuration	Rated Pressure, psig (kPa)
NRS	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	F by F	300 (2068)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)



# Certificate of Compliance

This certificate is issued for the following:

## Fire Service Water Control Valves (OS&Y and NRS Type Gate Valves)

Models: KM101-1.6, KM102-1.6, KM101-2.5, KM102-2.5, KM103-175, KM104-175, KM103-300, KM104-300, KM105, KM106-1.6, KM107-1.6, KM106-2.5, KM107-2.5, KM108-175, KM108-300, KM109, KM110, KM111, KM112, KM113, KM800, **KM850**

### Prepared for:

Kirmary International LLC  
91 Linden Ave  
Irvington Township, New Jersey 07111  
USA

Approval Standard: FM 1120, 1130 (April 1997)

Approval Identification: PR467295

Approval Granted: 23 October 2023

To verify the availability of the Approved product, please refer to [www.approvalguide.com](http://www.approvalguide.com)

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in black ink, appearing to read 'D.B. Fuller', is written over a horizontal line.

David B. Fuller  
VP, Manager – Fire Protection  
FM Approvals  
1151 Boston-Providence Turnpike  
Norwood, MA 02062



*Member of the FM Global Group*



Model KM850

File Number: EX29165

COMPANY

Kirmary International LLC

91 Linden Ave  
Irvington Township, NJ 07111 United States

MODEL INFO

KM850

GENERAL			
Pattern	Size, in.	End Configuration	Rated Pressure, psig (kPa)
NRS	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	G by G	365 (2516)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)



# Certificate of Compliance

This certificate is issued for the following:

## Swing Check Valves

Models: KM950, **KM900**, KM900-01, KM114

### Prepared for:

Kirmory International LLC  
91 Linden Ave  
Irvington Township, New Jersey 07111  
USA

Approval Standard: FM 1210 (June 2004)

Approval Identification: PR467295

Approval Granted: 23 October 2023

To verify the availability of the Approved product, please refer to [www.approvalguide.com](http://www.approvalguide.com)

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in black ink, appearing to read 'D.B. Fuller', is written over a horizontal line.

David B. Fuller  
VP, Manager – Fire Protection  
FM Approvals  
1151 Boston-Providence Turnpike  
Norwood, MA 02062



*Member of the FM Global Group*



Model KM900

File Number: EX29166

COMPANY

Kirmary International LLC

91 Linden Ave  
Irvington Township, NJ 07111 United States

MODEL INFO

KM900

Swing

ATTRIBUTES AND RATINGS

Valve Seat Facing	Nom Pipe Size, NPS	End Configuration	Rated Pressure, psig (kPa)	Installation Position
Elastomeric	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	Flange by Flange	300 (2068)	Horizontal, Vertical

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)

Cookies Settings

Reject All

Accept All Cookies



# Certificate of Compliance

This certificate is issued for the following:

**Swing Check Valves**

**Models: KM950, KM900, KM900-01, KM114**

**Prepared for:**

Kirmory International LLC  
91 Linden Ave  
Irvington Township, New Jersey 07111  
USA

Approval Standard: FM 1210 (June 2004)

Approval Identification: PR467295

Approval Granted: 23 October 2023

To verify the availability of the Approved product, please refer to [www.approvalguide.com](http://www.approvalguide.com)

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in black ink, appearing to read 'D.B. Fuller', is written over a horizontal line.

David B. Fuller  
VP, Manager – Fire Protection  
FM Approvals  
1151 Boston-Providence Turnpike  
Norwood, MA 02062



*Member of the FM Global Group*





Model KM950  
File Number: EX29166

COMPANY

Kirmary International LLC  
91 Linden Ave  
Irvington Township, NJ 07111 United States

MODEL INFO

KM950  
Swing

ATTRIBUTES AND RATINGS				
Valve Seat Facing	Nom Pipe Size, NPS	End Configuration	Rated Pressure, psig (kPa)	Installation Position
Elastomeric	2, 2-1/2, 76.1 mm, 3, 4, 5, 139.7 mm, 6, 165.1 mm, 8, 10, 12	Groove by Groove	365 (2516)	Horizontal, Vertical



The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)



# Certificate of Compliance

This certificate is issued for the following:

**Fire Service Water Control Valves (OS&Y and NRS Type Gate Valves)**

**Models: KM101-1.6, KM102-1.6, KM101-2.5, KM102-2.5, KM103-175, KM104-175, KM103-300, KM104-300, KM105, KM106-1.6, KM107-1.6, KM106-2.5, KM107-2.5, KM108-175, KM108-300, KM109, KM110, KM111, KM112, KM113, KM800, KM850**

**Prepared for:**

Kirmary International LLC  
91 Linden Ave  
Irvington Township, New Jersey 07111  
USA

Approval Standard: FM 1120, 1130 (April 1997)

Approval Identification: PR467295

Approval Granted: 23 October 2023

To verify the availability of the Approved product, please refer to [www.approvalguide.com](http://www.approvalguide.com)

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in black ink, appearing to read 'D.B. Fuller', is written over a horizontal line.

David B. Fuller  
VP, Manager – Fire Protection  
FM Approvals  
1151 Boston-Providence Turnpike  
Norwood, MA 02062



*Member of the FM Global Group*



Model KM104-300  
File Number: EX29165

COMPANY

Kirmary International LLC  
91 Linden Ave  
Irvington Township, NJ 07111 United States

MODEL INFO

KM104-300

GENERAL			
Pattern	Size, in.	End Configuration	Rated Pressure, psig (kPa)
NRS	4, 5, 6, 8, 10, 12	F by F	300 (2068)



The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

Cookies on UL Solutions

We use cookies to personalize content and ads, to provide social media features and to analyze our traffic. We also share information about your use of our site with our social media, advertising and analytics partners. [Learn more](#)