

UL/FM Certificates



Certificate of Compliance

This certificate is issued for the following:

Angle and Straightaway Hose Valves

KM300

Prepared for:

Kirmary International LLC

91 Linden Ave

Irvington Township, New Jersey 07111

USA

Approval Standard: FM 1521, 1522 (December 2014)

Approval Identification: PR465870

Approval Granted: 3 May 2023

To verify the availability of the Approved product, please refer to www.approvalguide.com

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in black ink, appearing to read 'D.B. Fuller', written over a horizontal line.

David B. Fuller

VP, Manager – Fire Protection

FM Approvals

1151 Boston-Providence Turnpike

Norwood, MA 02062



Member of the FM Global Group



VTSR.EX29020 - Hose Valves

Hose Valves


Kirmary International LLC

EX29020

91 Linden Ave
Irvington, NJ 07111-2562 United States

Angle types, 1-1/2, with female/female (NPT/NPS) and female/male (NPS) ends. for a maximum working pressure of 300 psi, for use on a fire hose rack assembly, or as a fire department outlet connection, Model(s) **KM300**

Angle types, 2-1/2 in., with female/female (NPT/NPS), female/male (NPS), Female NPT/Male NYC, GRV by Male NH, GRV by Male NYC and Male NH by Male NYC for a maximum working pressure of 300 psi, for use on a fire hose rack assembly, or as a fire department outlet connection, Model(s) KM300

Trademark and/or Tradename:  , "KIRMARY"

Last Updated on 2023-04-05

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."



Certificate of Compliance

This certificate is issued for the following:

Fire Department Connections

KM100

Prepared for:

Kirmary International LLC

91 Linden Ave

Irvington Township, New Jersey 07111

USA

Approval Standard: FM 1530 (November 2016)

Approval Identification: PR465870

Approval Granted: 3 May 2023

To verify the availability of the Approved product, please refer to www.approvalguide.com

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in dark ink, appearing to read "D.B. Fuller", is written over a horizontal line.

David B. Fuller

VP, Manager – Fire Protection

FM Approvals

1151 Boston-Providence Turnpike

Norwood, MA 02062



Member of the FM Global Group



KM100 - Fire Department Connections

Fire Department Connections

File Number: EX29019

COMPANY

Kirmary International LLC

91 Linden Ave
Irvington, NJ 07111-2562 United States

MODEL INFO

KM100

Exposed Type

PRODUCT INFORMATION				
Pattern	Size, in.	Inlet End Type	Outlet End Type	Rated Pressure, psig (kPa)
Straightway	2-1/2 x 2-1/2 x 4	NST	NPT	300 (2070)



The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."



Certificate of Compliance

This certificate is issued for the following:

Sprinkler System Alarm Test Devices

KM200

Prepared for:

Kirmary International LLC

91 Linden Ave
Irvington Township, New Jersey 07111
USA

Approval Standard: FM 1625 (December 2009)

Approval Identification: PR465870

Approval Granted: 3 May 2023

To verify the availability of the Approved product, please refer to www.approvalguide.com

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in dark ink, appearing to read 'D.B. Fuller', written over a horizontal line.

David B. Fuller
VP, Manager – Fire Protection
FM Approvals
1151 Boston-Providence Turnpike
Norwood, MA 02062



Member of the FM Global Group



KM200 - Drain Fittings, Special Type

Drain Fittings, Special Type

File Number: EX29017

COMPANY

Kirmary International LLC

91 Linden Ave
Irvington, NJ 07111-2562 United States

MODEL INFO

KM200

PRODUCT INFORMATION		
Size, in.	Nominal K-Factor, gpm/v(psi) [L/min/v(kPa)]	Rated Pressure, psi (kPa)
1	5.6 (8)	300 (2070)
1-1/4	5.6 (8)	300 (2070)
1-1/2	5.6 (8)	300 (2070)
2	5.6 (8)	300 (2070)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."



Certificate of Compliance

This certificate is issued for the following:

Quick Opening Valves 1/4 Inch Through 2 Inch Nominal Size

KM250

Prepared for:

Kirmary International LLC

91 Linden Ave

Irvington Township, New Jersey 07111

USA

Approval Standard: FM 1140 (October 1998)

Approval Identification: PR465870

Approval Granted: 3 May 2023

To verify the availability of the Approved product, please refer to www.approvalguide.com

Said Approval is subject to satisfactory field performance, continuing Surveillance Audits, and strict conformity to the constructions as shown in the Approval Guide, an online resource of FM Approvals.

A handwritten signature in black ink that reads 'D.B. Fuller'.

David B. Fuller

VP, Manager – Fire Protection

FM Approvals

1151 Boston-Providence Turnpike

Norwood, MA 02062



Member of the FM Global Group



KM250 - Valves, Trim and Drain

Valves, Trim and Drain

File Number: EX29018

COMPANY

Kirmary International LLC

91 Linden Ave
Irvington, NJ 07111-2562 United States

MODEL INFO

KM250

Ball

ATTRIBUTES AND RATINGS

Size, in. (mm)	Rated Pressure, psig (kPa)
1/4 (6.4);3/8 (9.5);1/2 (12.7);3/4 (19.1);1 (25.4);1-1/4 (31.8);1-1/2 (38.1)	600 (4136)
2 (50.8)	300 (2068)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

KM150 - Valves, Trim and Drain

Valves, Trim and Drain

File Number: EX29018

COMPANY

Kirmary International LLC

91 Linden Ave
Irvington, NJ 07111-2562 United States

MODEL INFO

KM150

3-Way Globe

ATTRIBUTES AND RATINGS

Size, in. (mm)	Rated Pressure, psig (kPa)
1/4 (6.4)	600 (4136)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."

DEPARTMENT OF THE TREASURY
UNITED STATES CUSTOMS SERVICE

NORTH AMERICAN FREE TRADE AGREEMENT
CERTIFICATE OF ORIGIN


Please print or type

19 CFR 181.11, 181.22

<p>1. EXPORTER NAME AND ADDRESS KIRMARY INTERNATIONAL LLC AS AGENT FOR : NINGBO HUACHENG 91 LINDEN AVE. IRVINGTON, NJ. 07111 TEL: 201-852-2454 EMAIL: KIRMARY@KIRMARY.COM</p> <p>TAX IDENTIFICATION NUMBER: 93-1967673</p>	<p>2. BLANKET PERIOD (DDMMYY) AUG.02.2023</p> <p>FROM NEW YORK, USA</p> <p>TO SOKHNA PORT, EGYPT</p>
<p>3. PRODUCER NAME AND ADDRESS</p> <p>TAX IDENTIFICATION NUMBER:</p>	<p>4. IMPORTER NAME AND ADDRESS KIRMARY FOR ENGINEERING SUPPLIES 5A KHALED EBN EL WALEED ST SHERATON , CAIRO, EGYPT TEL: 0022-664920/30 EMAIL: INFO@KIRMARY.COM</p> <p>TAX IDENTIFICATION NUMBER: 349796378</p>

5. DESCRIPTION OF GOOD(S)	6. HS TARIFF CLASSIFICATION NUMBER	7. PREFERENCE CRITERION	8. PRODUCER	9. NET COST	10. COUNTRY OF ORIGIN
<p>SIX HUNDRED AND EIGHTY EIGHT (688) CARTONS OF VALVE FOR FIRE SYSTEM</p> <p>KIRMARY BRAND</p> <p>ASSEMBLED & TESTED IN USA</p> <p>ACID 3497963782023080018 IMPORT TAX # : 349796378 EXPORTER # 913302266102641340 FOREIGN EXPORTER COUNTRY : USA FOREIGN EXPORTER COUNTRY CODE : US</p>	8481804090	JY230811	N.H	N/A	USA

Ali Hassanein
1-5-2024



Woodbridge Metro Chamber of Commerce
178 Main Street
Woodbridge, NJ 07095
www.woodbridgechamber.com

Holly B Churchday

I CERTIFY THAT:

- THE INFORMATION ON THIS DOCUMENT IS TRUE AND ACCURATE AND I ASSUME THE RESPONSIBILITY FOR PROVING SUCH REPRESENTATIONS. I UNDERSTAND THAT I AM LIABLE FOR ANY FALSE STATEMENTS OR MATERIAL OMISSIONS MADE ON OR IN CONNECTION WITH THIS DOCUMENT;
- I AGREE TO MAINTAIN, AND PRESENT UPON REQUEST, DOCUMENTATION NECESSARY TO SUPPORT THIS CERTIFICATE, AND TO INFORM, IN WRITING, ALL PERSONS TO WHOM THE CERTIFICATE WAS GIVEN OF ANY CHANGES THAT COULD AFFECT THE ACCURACY OR VALIDITY OF THIS CERTIFICATE;
- THE GOODS ORIGINATED IN THE TERRITORY OF ONE OR MORE OF THE PARTIES, AND COMPLY WITH THE ORIGIN REQUIREMENTS SPECIFIED FOR THOSE GOODS IN THE NORTH AMERICAN FREE TRADE AGREEMENT, AND UNLESS SPECIFICALLY EXEMPTED IN ARTICLE 411 OR ANNEX 401, THERE HAS BEEN NO FURTHER PRODUCTION OR ANY OTHER OPERATION OUTSIDE THE TERRITORIES OF THE PARTIES; AND

• THIS CERTIFICATE CONSISTS OF 1 PAGES, INCLUDING ALL ATTACHMENTS.

11a. AUTHORIZED SIGNATURE <i>[Signature]</i>	11b. COMPANY KIRMARY INTERNATIONAL USA LLC.
11c. NAME (Print or Type)	11d. TITLE V.P
11e. DATE (DDMMYY) AUG. 02 . 2023	11f. TELEPHONE NUMBER (Voice) +1-201-852-2454 (Facsimile)



OFFICE OF THE HUDSON COUNTY CLERK
 HUDSON COUNTY PLAZA - 4TH FLOOR
 257 CORNELISON AVENUE
 JERSEY CITY, NJ 07302
 PHONE: (201)369-3470
 FAX: (201)369-3478
 WWW.HUDSONCOUNTYCLERK.ORG

SUSAN V. ANTUN
 SPECIAL DEPUTY CLERK

E. JUNIOR MALDONADO
 CLERK OF HUDSON COUNTY

JAMIE DAVIS
 DEPUTY CLERK OF HUDSON COUNTY

STATE OF NEW JERSEY }
 } SS.
 COUNTY OF HUDSON }

I, ELEUTERIO MALDONADO, JR., Clerk of the County of Hudson, do hereby certify and attest that:

Ali I. Hassanein (ID # 2219675)

the Notary Public before whom the within proof, acknowledgement or affidavit was made, was, at the time of taking such notary action, duly commissioned, sworn and residing in or having filed with this County copies of his or her commission/qualification certificate and autograph signature; and was as such an officer and resident of this State duly authorized to take and certify said proof, acknowledgement or affidavit as well as to take and certify the proof or acknowledgement of deeds for the conveyance of lands, tenements or hereditaments and their instruments in writing to be recorded in this State; that said proof, acknowledgement or affidavit is duly executed and taken according to the laws of this State; and that the notary signature affixed to the instrument is believed to be genuine.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the seal of the said County of Hudson the 5th day of January, 2024

Eleuterio Maldonado Jr

ELEUTERIO MALDONADO, JR.
 HUDSON COUNTY CLERK

